IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

APPLICANT: WRIGHT, David Kent; FULLAM, Philip Stephen

SERIAL NO.: 10/535,713 ART UNIT: 3643

FILED: February 2, 2006 EXAMINER: Hayes, K.C.

TITLE: METHOD AND APPARATUS FOR DETECTING MASTITIS

Amendment B: CLAIM AMENDMENTS

Claims 1 - 20 (canceled).

21. (Currently amended) A method of testing milk from an animal a mammal for a presence of an infection in the animal mammal, the method comprising:

introducing an unfiltered <u>a</u> liquid sample of the milk and a reagent into a reaction chamber, said reagent having a light-amplifying compound therein;

reacting said light-amplifying compound with a \underline{a} nextracellular substance produced by cells of the \underline{animal} \underline{mammal} in response to the infection; \underline{and}

emitting light from the reacted light-amplifying compound; and

immediately measuring a peak of immediately an intensity of the emitted light from a reaction between the light-amplifying compound and the substance produced by cells.

- (Previously presented) The method of Claim 21, said substance being produced by phagocytic leukocytes.
- 23. (Previously presented) The method of Claim 22, said substance being produced when phagocytic leukocytes phagocytose bacteria.

- 24. (Previously presented) The method of Claim 23, said light-amplifying compound reacting with reactive oxygen so as to emit light.
- 25. (Previously presented) The method of Claim 21, the step of immediately measuring comprising:

measuring said intensity for a maximum of five minutes after the step of introducing.

26. (Previously presented) The method of Claim 21, further comprising:

forming a fluid-tight and light-tight reaction chamber of variable capacity;

connecting a first inlet port of said reacting chamber to a milk line of an automatic milking system;

connecting a second inlet port of said reaction chamber to a supply of said reagent;

and

and

increasing a capacity of said reaction chamber so as to draw the milk and said reagent into said reaction chamber.

27. (Previously presented) The method of Claim 26, further comprising:

connecting electrically-actuated operating valves to said first and second inlet ports;

controlling said operating valves to regulate a proportion of said reagent and the milk drawn into said reaction chamber.

28. (Previously presented) The method of Claim 26, the step of increasing the capacity comprising:

moving a piston in said reaction chamber.

29. (New) A method of testing milk from a mammal for a presence of an infection in the mammal, the method comprising:

introducing a liquid sample of the milk and a reagent into a reaction chamber, said reagent having a light-amplifying compound therein;

reacting said light-amplifying compound with an extracellular substance produced by cells of the mammal in response to the infection, the substance being produced before the step of introducing the sample and the reagent; and

detecting an immediate peak of emitted light intensity from a reaction between the light-amplifying compound and the substance produced by cells.